

SUGGESTED SETTS

Below are suggested sett for all Ashford yarns.

This is just a guideline. We recommend you sample your yarns before commencing a project. Weave a small section and wash to see the finished result. The sett can vary depending on the weave structure you are using and the desired drape required on the final fabric.

e/cm = ends per centimetre

epi = ends per inch

Yarn	Loose Plain Weave	Firm Plain Weave
Rigid Heddle Looms (Inc. Knitters and Samplett's)	Reed	Reed
Ashford Tekapo 8 Ply Wool	30/10cm (7.5epi)	40/10cm (10epi)
Ashford Tekapo 12 Ply Wool	20/10cm (5epi)	30/10cm (7.5epi)
Ashford Tekapo 3 Ply Wool	40/10cm (10epi)	50/10cm (12.5epi)
Ashford Mackenzie Merino 4 Ply Wool	40/10cm (10epi)	50/10cm (12.5epi)
Ashford 10/2 Cottons	60/10cm (15epi)	60/10cm (15epi) (double sleyed)
Ashford 5/2 Cottons	50/10cm (12.5epi)	60/10cm (15epi)
Ashford Caterpillar Cotton	40/10cm (10epi)	50-60/10cm (12.5-15 epi)

Yarn	Loose Plain Weave	Firm Plain Weave	Twill
Multi Shaft Looms	e/10cm (epi)	e/10cm (epi)	e/10cm (epi)
Ashford Tekapo 8 Ply Wool	24 (6)	31 (8)	40 (10)
Ashford Tekapo 12 Ply Wool	16 (4)	24 (6)	30 (8)
Ashford Tekapo 3 Ply Wool	40 (10)	47 (12)	63 (16)
Ashford Mackenzie Merino 4 Ply Wool	40 (10)	47 (12)	55 (14)
Ashford 10/2 Cottons	94 (24)	110 (27)	100-120 (25-30)
Ashford 5/2 Cottons	47 (12)	63 (16)	70-80 (18-20)
Ashford Caterpillar Cotton	40 (10)	60 (15)	70-80 (18-20)